

Ministry of Health and Sports (Myanmar) Department of Public Health Central Epidemiology Unit

(19 May 2020)

Situation Report - 42

Coronavirus Disease 2019 (COVID-19)


Data as reported by States and Regions by 10:00 PM MST 18 May 2020

Global Situation


(according to WHO situation report - 119, data as of 14:30 MST 18 May 2020)


Confirmed cases	Deaths
4,618,821	311,847

Myanmar



COVID-19 confirmed cases by date of laboratory confirmation (as of 18-5-2020,10:00 PM) n=191





Summary of situation (17.5.2020– 18.5.2020)				
Type New Total (as of 18.5.2020				
Suspected and Person Under Investigation (PUI)	48	4,392		
Hospital Quarantine	13	70		
Facility Quarantine	3,071	61,505		


Person under Investigation (PUI) by State/Region hospitals (31.1.2020 – 18.5.2020) n= 4,392

Summary of Facility Quarantine List (as of 18.5.2020)


No.	State/Region	PUI
1.	Yangon	2,266
2.	Mandalay	754
3.	Shan (N)	170
4.	Bago	167
5.	Mon	154
6.	Kayin	143
7.	Magway	141
8.	Shan (E)	91
9	Ayeyarwaddy	91
10.	Shan (S)	80
11.	Sagaing	73
12.	Kayah	63
13.	Naypyitaw	58
14.	Rakhine	49
15.	Tanintharyi	48
16.	Kachin	26
17.	Chin	18
	Total	4,392

No.	State/Region	No. of facilities	Total no. of quarantine people
1.	Magway	2,845	12,432
2.	Sagaing	2,105	10,160
3.	Mandalay	1,207	7,288
4.	Ayeyarwaddy	1,629	7,153
5.	Kachin	593	6,687
6.	Rakhine	646	3,914
7.	Bago	521	3,265
8.	Shan (N)	342	2,716
9	Yangon	47	2,207
10.	Naypyitaw	19	1,209
11.	Tanintharyi	189	1,114
12.	Shan(S)	113	1,095
13.	Kayin	135	625
14.	Shan (E)	41	620
15.	Chin	38	443
16.	Mon	36	361
17.	Kayah	18	216
	Total	10,524	61,505


COVID-19 laboratory confirmed cases among PUI (as of 17.5.2020) n (PUI) =4,392, n (confirmed)= 63



Timeline of Preparedness and Response to COVID-19 in Myanmar



Summary of new confirmed cases detection after first two cases (as of 18.5.2020)



- Confirmed cases were detected as peak in the 4th week after first confirmed cases due to religious event cluster.
- Confirmed cases were decreased but still raised other than first 3 weeks due to religious event cluster and workplace cluster.
- There were an increased in numbers of cases in week 7th after the first two cases due to household cluster linked with religious cluster.
- Confirmed cases were detected again in week 8 after first two cases because of returnees.